



Siding. Pattern. Trim.

### Thermally Modified Wood Collection Cladding Bid Specification Sheet

- Name: UFP-Edge Thermally Modified Wood Collection
- Profiles:
  - Nickle gap T&G
  - W4 T&G
- Sizes: 1x6 & 1x8
- Actual:
  - 1 1/16" Thick
  - 6" – 5 3/8" Wide
  - 8" – 7 1/8" Wide
- End Matched
- Finishes: Factory Applied Coatings
  - 7 Colors: Timber Ridge, Glacier, Lost Trail, Big Sky, Wood Smoke, Back Country, Black Forest
  - 2 Coat - 5 sides
- Unfinished:
  - Ponderosa Pine
  - Vertical Grain Hemlock
- Lengths: 8' – 16'
- Texture: Wire Brush
- Texture Unfinished: Smooth
- Species
  - Prefinished: Ponderosa Pine
  - Unfinished: Ponderosa Pine or VG Hemlock
- Grade: #2 & Better
- Warranty: 20-year limited (substrate)
- Packaging: 6 Piece Sub Bundles
- Applications:
 

(Interior and exterior uses)

  - Exterior siding
  - Exterior soffit
  - Ceilings
  - Accent walls
- Manufacturing location: Bonner, MT



T&G nickel gap reveal end-matched



WP4/T&G end-matched

#### Flame Spread Test Results

Natural/not painted

##### SUMMARY OF TEST RESULTS

Specimen I.D.: UFP EDGE Thermally Modified Wood by UFP Industries, Inc.

##### ASTM E84 Test Results

FLAME SPREAD INDEX	SMOKE DEVELOPED INDEX
130	125

\*See Section 8 for additional information and commentary

For INTERTEK B&C:

**COMPLETED BY:** Scott Gingrich  
Technician Team Lead – Fire Testing

**TITLE:**

**SIGNATURE:**

**DATE:** 06/22/21

Digitally Signed by: Scott Gingrich

SDG:ddr

**REVIEWED BY:** Ethan Grove  
Manager – Fire Testing

**TITLE:**

**SIGNATURE:**

**DATE:** 06/22/21

Digitally Signed by: Ethan Grove

Prepainted White

##### SUMMARY OF TEST RESULTS

Specimen I.D.: UFP EDGE Thermally Modified Wood by UFP Industries, Inc.

##### ASTM E84 Test Results

FLAME SPREAD INDEX	SMOKE DEVELOPED INDEX
130	105

\*See Section 8 for additional information and commentary

For INTERTEK B&C:

**COMPLETED BY:** Scott Gingrich  
Technician Team Lead – Fire Testing

**TITLE:**

**SIGNATURE:**

**DATE:** 06/25/21

Digitally Signed by: Scott Gingrich

SDG:ddr

**REVIEWED BY:** Ethan Grove  
Manager – Fire Testing

**TITLE:**

**SIGNATURE:**

**DATE:** 06/25/21

Digitally Signed by: Ethan Grove